



EE PERFORMANCE

Fully Synthetic Engine Oil

***NANO*DRIVE ESTER**

ABOUT MILLERS OILS

Millers Oils is a leading manufacturer and independent blender of oils and lubricants, operating since 1887 in Brighouse, West Yorkshire.

We pride ourselves on our award-winning innovation and our independence which allows maximum flexibility to meet our customers' needs.

CONTENTS

EE Performance and NANODRIVE	3
Product Range	4-5
Product Selector	6-7




Millers Oils is proud to partner with the MINI CHALLENGE, bringing race proven performance to every MINI on the road. Trusted by top motorsport teams, our advanced lubricants ensure exceptional reliability and efficiency, enhancing the driving experience for Mini enthusiasts and professionals alike. With Millers Oils, you equip your MINI with the same high performance lubricants that power race winning cars, delivering peak performance on and off the track.

EE Performance: Extraordinary Performance. Every Day.

EE Performance from Millers Oils is the "track day ready", fully synthetic high performance engine oil for on-road use. Using award-winning, low-friction NANODRIVE technology and ester chemistry, EE Performance delivers maximum engine performance whilst meeting manufacturers' specifications and recommended oil drain intervals.

NANODRIVE Low Friction Technology

Originally developed for professional motorsport applications, NANODRIVE is the award-winning low friction technology from Millers Oils. Incorporating advanced nanoparticle technology, NANODRIVE formulations reduce friction and wear in high performance applications where the oil film alone cannot be relied upon for lubrication. The EE Performance range reduces friction by up to 24% when compared to industry standard formulations, as shown in the graph below.



EE PERFORMANCE ENGINE OIL RANGE



C5 V 0w20 **Code 8596**

Fully synthetic, mid SAPS, for use in petrol, diesel and hybrid engines.
A performance engine oil featuring NANODRIVE low friction technology specifically formulated for Volkswagen Audi Group including Bentley, Cupra, Seat, Skoda & Porsche specifications; VW 504 00 / 509 00 & Porsche C20. This product also supports various European and Asian manufacturers



0w20 **Code 8206**

Fully synthetic, for use in petrol and hybrid engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring a 0w20 viscosity, covering a wide range of European and Asian manufacturers.



C3 0w30 **Code 8597**

Fully synthetic, mid SAPS, for use in petrol, diesel and hybrid engines.
A performance engine oil featuring NANODRIVE low friction technology specifically formulated for Volkswagen Audi Group including Bentley, Cupra, Seat, Skoda & Porsche specifications; VW 504 00 / 507 00, 506 00 / 506.01 & Porsche C30. This product also supports various European marque specifications such as BMW Longlife-04 (LL-04) and Mercedes-Benz MB 229.52 & MB 229.51 as well as Asian manufacturers.



C3 5w40 **Code 7806**

Fully synthetic, mid SAPS, for use in petrol, diesel and hybrid engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring a C3 5w40 specification. Targeting 'Pumpe Düse' PD Volkswagen Audi Group (VAG) engines including Lamborghini, Seat, Skoda and Porsche. Other coverage includes GM and Mercedes Benz.



5w40 **Code 8208**

Fully synthetic, full SAPS, for use in petrol, diesel and hybrid engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring an A3/B4 or A3/B3 5w40 specification, predominantly for European and Asian high performance vehicles including AMG, Aston Martin, BMW, Ferrari, GM (Opel, Vauxhall, Saab) Lamborghini, Maserati, Mercedes Benz, Nissan Sport, Porsche, Renault Sport.



5w50 **Code 8209**

Fully synthetic, full SAPS, for use in petrol and diesel engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring an A3/B4 or A3/B3 5w50 specification. Recommended for Mercedes Benz AMG powered vehicles, Porsches, Caterhams and Fords including the Mustang.



0w30 **Code 8207**

Fully synthetic, full SAPS, for use in petrol, diesel and hybrid engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring an A5/B5 or A1/B1 0w30 specification, predominantly for Volvo and a wide range of European and Asian manufacturers.



C3 5w30 **Code 7877**

Fully synthetic, mid SAPS, for use in petrol, diesel and hybrid engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring a C3 5w30 specification. Designed for Volkswagen Audi Group (VAG) including Bentley, Lamborghini, Seat, Skoda and Porsche. Other coverage includes BMW and Mercedes Benz.



ECO 5w30 **Code 7706**

Fully synthetic, full SAPS, for use in petrol, diesel and hybrid engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring an A5/B5 or A1/B1 5w30 specification, predominantly for high powered Ford, Jaguar Land Rover and Asian manufacturers.



10w40 **Code 7708**

Fully synthetic, full SAPS, for use in petrol and diesel engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring an A3/B4 or A3/B3 10w40 specification, covering a wide range of older vehicles benefiting from fully synthetic technology.



10w50 **Code 8211**

Fully synthetic, full SAPS, for use in petrol and diesel engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring an A3/B4 or A3/B3 10w50 specification, predominantly for European and Asian extreme high performance vehicles.



10w60 **Code 8210**

Fully synthetic, full SAPS, for use in petrol and diesel engines.
A performance engine oil featuring NANODRIVE low friction technology for vehicles requiring an A3/B4 or A3/B3 10w60 specification, predominantly for BMW M-Models and European and Asian extreme high performance vehicles.

For full details of applications and specifications see pages 6 & 7.

OEM - Original Equipment Manufacturer.

Asian manufacturers - including but not limited to, Honda, Hyundai, Infinity, Kia, Lexus, Nissan, Suzuki and Toyota.

SAPS - Sulphated, Ash, Phosphorus, Sulphur.

EE PERFORMANCE ENGINE OIL RANGE

PRODUCT CODE	PRODUCT NAME	OIL TYPE	SAPS LEVEL	SUITABLE APPLICATIONS															
				INDUSTRY BODY			MANUFACTURER											OTHER	
				ACEA	API	ILSAC	BMW/MINI	CHRYSLER	FIAT	FORD & JLR (JAGUAR LAND ROVER)	GENERAL MOTORS	MERCEDES-BENZ	OPEL/ VAUXHALL	PSA	RENAULT	VOLVO	VW & PORSCHE		
8596	EE Performance C5 V 0w20	Fully Synthetic	Mid SAPS	C5	-	-	-	-	-	-	-	-	-	-	-	-	-	Porsche C20 VW 508 00 / 509 00	Asian manufacturers
8206	EE PERFORMANCE 0w20	Fully Synthetic	-	-	SP, SP RC, SN PLUS RC, SN PLUS, SN RC, SN	GF-6A GF-5	-	MS-6395	9.55535-CR1	WSS-M2C962-A1 WSS-M2C947-B1 WSS-M2C947-A	GM dexos 1 Gen 3 GM dexos 1 Gen 2 GM dexos 1 Gen 1	-	-	-	-	-	-	-	Asian manufacturers
8597	EE Performance C3 0w30	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	-	-	-	-	MB 229.52 MB 229.51 MB 229.31	-	-	-	-	-	Porsche C30 VW 504 00 / 507 00 VW 506 00 / 506 01 VW 503 00 / 503 01 VW 502 00 / 505 01	Asian manufacturers
8207	EE PERFORMANCE 0w30	Fully Synthetic	Full SAPS	A5/B5	SL	GF-4 GF-3	-	-	-	-	-	-	-	-	RN0700	VCC 95200377	-	-	Asian manufacturers
7877	EE PERFORMANCE C3 5w30	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	MS-11106	9.55535-S3	-	GM dexos 2*	MB 229.51 MB 229.31	OV0401547-G30* OV0401547-D30*	B71-2290 <2017	-	-	-	Porsche C30 VW 504 00 / 507 00 VW 502 00 / 505 01	Asian manufacturers
7706	EE PERFORMANCE ECO 5w30	Fully Synthetic	Full SAPS	A5/B5	SL	GF-4 GF-3	-	MS-6395	-	WSS-M2C913-D WSS-M2C913-C STJLR.03.5003	-	-	-	-	RN0700	VCC 95200377**	-	-	Asian manufacturers
7806	EE PERFORMANCE C3 5w40	Fully Synthetic	Mid SAPS	C3	SN	-	Longlife-04 (LL-04)	-	9.55535-GH2 9.55535-T2 9.55535-S2	WSS-M2C917-A	GM dexos 2	MB 229.51 MB 229.31	-	-	-	-	-	Porsche C40 Porsche A40 VW 511 00 VW 502 00 / 505 01	Asian manufacturers
8208	EE PERFORMANCE 5w40	Fully Synthetic	Full SAPS	A3/B4	SN CF	-	Longlife-01 (LL-01) Longlife-98 (LL-98)	MS-12991 MS-10896 MS-10725	9.55535-Z2 9.55535-N2 9.55535-M2 9.55535-H2 ABARTH	-	GM-LL-B-025 GM-LL-A-025	MB 229.5 MB 229.3 MB 229.1 MB 226.5 AMG	-	B71-2296 B71-2293	RN0710 RN0700	-	-	Porsche A40 VW 502 00 / 505 00 VW 500 00 / 501 01	Asian manufacturers
8209	EE PERFORMANCE 5w50	Fully Synthetic	Full SAPS	A3/B4	SN	-	-	-	-	WSS-M2C931-C	-	MB 229.3 MB 229.1	-	-	-	-	-	Porsche A40	Asian manufacturers Caterham, Cosworth
7708	EE PERFORMANCE 10w40	Fully Synthetic	Full SAPS	A3/B4	SN CF	-	-	-	9.55535-G2	-	-	MB 229.3 MB 229.1 MB 226.5	-	B71-2300 B71-2295 B71-2294	RN0700	-	-	VW 502 00 / 505 00 VW 500 00 / 501 01	Asian manufacturers
8211	EE PERFORMANCE 10w50	Fully Synthetic	Full SAPS	A3/B4	SN	-	-	-	ABARTH	-	-	-	-	-	-	-	-	-	Asian manufacturers
8210	EE PERFORMANCE 10w60	Fully Synthetic	Full SAPS	A3/B4	SN	-	BMW	-	9.55535-H3	-	-	-	-	-	-	-	-	-	Asian manufacturers

* Millers Oils underwrites this product for GM dexos 2 & Opel/ Vauxhall OV0401547-G30/D30 applications

** Volvo VCC 95200377 - suitable for use where a 0w30 viscosity is required with the exception of potential fuel economy benefits

• Although this specification chart is a guide for Millers Oils products, care should be taken to ensure the correct product is used as per the vehicle requirement

• All products available in 1L, 5L, 20L, 60L, 199L, 1000L & Bulk

- Asian manufacturers – Including but not limited to Acura, Daihatsu, Honda, Hyundai, Infiniti, Isuzu, Kia, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota.
- BMW Inc. Mini, Rolls Royce
- Chrysler Inc. Dodge, Jeep, Ram
- Fiat Inc. Abarth, Alfa Romeo, Ferrari, Lancia, Maserati
- General Motors Inc. Buick, Cadillac, Chevrolet, GMC (Opel, Vauxhall pre-2017)
- PSA (Peugeot Societe Anonyme) Inc. Peugeot, Citroen, DS.
PSA bought Opel/ Vauxhall in 2017; any Opel/ Vauxhall vehicle manufactured before or after this point may need a PSA specification
- VW Inc. Audi, Cupra, Seat, Skoda, Bentley, Lamborghini, Bugatti.

FOR PRODUCT SPECIFICATION INFO & TECHNICAL
HELP PLEASE CALL US ON +44 (0) 1484 475060



MILLERS OILS

WHICH OIL?

The popular Millers Oils 'WhichOil?' guide can be found on our website. We want to make sure that people know which oil to use and the oil selector makes that very easy. Users can find out which oil they need by either entering their registration plate or typing in the make and model.

To use our WhichOil? guide visit: www.millersoils.co.uk

Millers Oils Head Office

Millers Oils Ltd
Brighouse, West Yorkshire
HD6 3DP, UK
T: +44 (0) 1484 713201
F: +44 (0) 1484 721263
E: sales@millersoils.co.uk
E: international@millersoils.co.uk

www.millersoils.co.uk



MillersOilsLtd

All products and information are reflective of the latest specifications at the time of going to print. The company reserves the right to change formulations and specifications without prior notice. Product images are shown for illustration purposes only.

Millers Oils Scotland

T: +44 (0) 1236 280107
E: glasgow@millersoils.co.uk

Technical Support

T: +44 (0) 1484 475060
E: technical@millersoils.co.uk

For H&S info or SDS, please visit our website

MADE IN BRITAIN

